

## GOVERNMENT OF ANDHRA PRADESH

### ABSTRACT

Public Services - Irrigation & CAD Department – Irregularities in works taken up under O&M grant in SRSP stage-1 during the years 2007-08, 2008-09 and 2009-10 - Sri M. Sudhakiran, the then Executive Engineer Divn. No.4, Mahabubabad, CCH Chintagattu, Warangal presently working in the O/o Chief Engineer(Projects) Irrigation Karimnagar, Y.S.P. Divn. No.3 of SYP circle, Mancherial - Departmental proceedings under Rule 20 of the A.P. Civil Services (CC & A) Rules, 1991 - Articles of charge - Issued.

---

### IRRIGATION & C.A.D. (Ser.VII.(V&E)A.1) DEPARTMENT

**G.O.Rt. No. 712**

**Dated: 09.06.2010.**

\*\*\*\*\*

#### O R D E R:

It is proposed to hold an inquiry against Sri M. Sudhakiran, the then Executive Engineer Divn. No.4, Mahabubabad, CCH Chintagattu, Warangal presently working in the O/o Chief Engineer(Projects) Irrigation Karimnagar, Y.S.P. Divn. No.3 of SYP circle, Mancherial in accordance with the procedure laid down under Rule 20 of A.P. Civil Services (CC&A) Rules, 1991 for the alleged charges specified herein.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charge (Annexure-I). A statement of imputations of misconduct and misbehavior in support of each article of charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure. III & IV).

3. Sri M. Sudhakiran, Executive Engineer, is directed to submit his written statement of defence within (10) days from the receipt of this order and also state whether he desires to be heard in person.

4. Sri M. Sudhakiran, Executive Engineer, is informed that an inquiry will be held only in respect of those articles of charge which is not specifically admitted herein. He should, therefore, specifically admit or deny each article of charge. He is further informed that adequate opportunity for perusal of records will be made available during the course of inquiry.

5. Sri M. Sudhakiran, Executive Engineer, is further informed that if he does not submit his Written Statement of Defence on or before the stipulated time, or does not appear in person before the disciplinary authority or otherwise fails or refuses to comply with the provisions of Rule 20 of the APPCS (CC&A) Rules 1991, or the orders/directions issued in pursuance of said rules, the inquiring authority may hold inquiry against him ex-prate.

6. Attention of Sri M. Sudhakiran, the then Executive Engineer Divn. No.4, Mahabubabad, CCH Chintagattu, Warangal presently working in the O/o Chief Engineer(Projects) Irrigation Karimnagar, Y.S.P. Divn. No.3 of SYP circle, Mancherial is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules 1964 under which no Govt. servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Govt. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be

**::2::**

presumed Sri M. Sudhakrin, the then Executive is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this order should be acknowledged.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

**S.P. TUCKER  
PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri M. Sudhakiran, the then Executive Engineer Divn. No.4, Mahabubabad, CCH Chintagattu, Warangl presently working in the O/o Chief Engineer(Projects) Irrigation Karimnagar, Y.S.P. Divn. No.3 of SYP circle, Mancherial (through) Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

**Copy to:**

The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

**//FORWARDED : BY ORDER//**

**SECTION OFFICER**